




NoteCart Flex 32

NoteCart Flex 32 is a mobile storage and charging solution for 32 devices.

NoteCart Flex is a mobile compact cabinet for storing and charging laptops, Chromebooks, tablets, iPads and similar devices. The 4 wheels on the NoteCart Flex series have been carefully selected to complement the rest of the design so that NoteCart rolls easily, regardless of weight of the many devices and the type of floor under the mobile cabinet.

During operation, all electronics are stored in the locked space behind the cabinet so that only the person in charge of IT has access to them. A secure cable management system ensures that the cables stay in the cabinet once they have been installed.



NoteCart Flex 32

SOLUTIONS

- Designed for storing, charging and transporting up to 32 laptops (14"), Chromebooks, tablets, iPads or similar devices.
- The cabinet is sturdy and easy to transport on its rubber wheels, which have been thoroughly tested.
- Strong handles on the sides make it easy to push and move the cabinet.
- The cabinet has a cable system which ensures that the cables do not disappear and that they are stored clutter-free.
- The locks on the front and rear doors mean that devices are stored safely.

DEVICES

Laptops (14"), Chromebooks, tablets, iPads and similar devices.

See compartment dimensions on page 3.

TILKØB

NoteSecure

Item no. NC-O-SECURE

Mechanical combination lock

Item no. NC-O-CODE-MAN

Thermostat

Item no. KE-NCOO-THERMO

Timer

Item no. KE3-NCOO-TIMER

ITEM NUMBER

NoteCart Flex 32

Item no. NCF-B-32-SC




1




2



3



4



5

1. Storing, charging and transporting up to 32 devices on high-quality wheels with ball bearing.

2. Designated space behind the cart for storing power supplies and power panels.

3. Vertical storage of different devices.

4. Strong handle and on/off button.

5. Key lock on the front and back (2x2 keys included).

leba-innovation.com

NoteCart Flex 32

Technical specifications

EXTERIOR DIMENSIONS		OPTIONS
Width	703 mm (883 mm incl. handle)	NOTE: handle has to be fitted
Depth	602 mm	
Height	832 mm	
WEIGHT	60 kg	
DIMENSIONS COMPARTMENT	2 shelves each with 16 compartments	
Width	37,5 mm	
Depth	360 mm	
Height	280 mm	
CONNECTING CABLE	1.8 m Schuko	Extra long 3 m cable
VENTILATION	Passive ventilation with an optional fan	
VENTILATION OPTIONS	Fan	CH-NC-FAN
	Thermostat for automatic fan control	NC-O-THERMO
ELECTRONICS		
Main panel	230V 50/60Hz 10A input	Timer for charging control
Power panel	4x8 outlets, 250V AC, 50/60Hz, 10A, 2500W max 2 sec. sequential starting groups of 2	
LOCKING SYSTEM FRONT	3 point locking system with a key	
LOCKING SYSTEM OPTION	Standard Lock 180	
WHEEL SPECIFICATIONS	Elastic rubber wheels with ball bearings. 150 kg max weight per wheel Dia. 100 mm. EN-2532 Cert.	
PACKAGING	Honeycomb recycled cardboard	
WEIGHT PACKED	70 kg (individually packed incl. pallet)	
DISPOSAL	According to local regulations	